

**CLEA Software Version 1.06**

Report generated 17/03/2011  
 Report title Energy from Waste Combined Heat and Power Facility, Devonport  
 Created by APS at URS/SW



**BASIC SETTINGS**

Land Use Commercial  
 Building Office (pre 1970)  
 Receptor Female (com) Start age class 17 End age class 17 Exposure Duration 49 years  
 Soil Sandy loam

**Exposure Pathways**

Direct soil and dust ingestion	<input checked="" type="checkbox"/>	Dermal contact with indoor dust	<input checked="" type="checkbox"/>	Inhalation of indoor dust	<input checked="" type="checkbox"/>
Consumption of homegrown produce	<input type="checkbox"/>	Dermal contact with soil	<input checked="" type="checkbox"/>	Inhalation of soil dust	<input checked="" type="checkbox"/>
Soil attached to homegrown produce	<input type="checkbox"/>			Inhalation of indoor vapour	<input checked="" type="checkbox"/>
				Inhalation of outdoor vapour	<input checked="" type="checkbox"/>



Land Use Commercial

Age Class	Exposure Frequencies (days yr <sup>-1</sup> )					
	Direct soil ingestion	Consumption of homegrown produce	Dermal contact with indoor dust	Dermal contact with soil	Inhalation of dust and vapour, indoor	Inhalation of dust and vapour, outdoor
1	0	0	0	0	0	0
2	0	0	0	0	0	0
3	0	0	0	0	0	0
4	0	0	0	0	0	0
5	0	0	0	0	0	0
6	0	0	0	0	0	0
7	0	0	0	0	0	0
8	0	0	0	0	0	0
9	0	0	0	0	0	0
10	0	0	0	0	0	0
11	0	0	0	0	0	0
12	0	0	0	0	0	0
13	0	0	0	0	0	0
14	0	0	0	0	0	0
15	0	0	0	0	0	0
16	0	0	0	0	0	0
17	230	0	230	170	230	170
18	0	0	0	0	0	0

Occupation Periods (hr day <sup>-1</sup> )		Soil to skin adherence factors (mg cm <sup>2</sup> )		Direct soil ingestion rate (g day <sup>-1</sup> )
Indoors	Outdoors	Indoor	Outdoor	
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
0.0	0.0	0.00	0.00	0.00
8.3	0.7	0.14	0.14	0.05
0.0	0.0	0.00	0.00	0.00



Receptor Female (com)

Age Class	Body weight (kg)	Body height (m)	Inhalation rate (m <sup>3</sup> day <sup>-1</sup> )	Max exposed skin factor			Consumption rates (g FW kg <sup>-1</sup> BW day <sup>-1</sup> )					
				Indoor (m <sup>2</sup> m <sup>-2</sup> )	Outdoor (m <sup>2</sup> m <sup>-2</sup> )	Total skin area (m <sup>2</sup> )	Green vegetables	Root vegetables	Tuber vegetables	Herbaceous fruit	Shrub fruit	Tree fruit
1	5.60	0.7	8.5	0.00	0.00	3.43E-01	7.12	10.69	16.03	1.83	2.23	3.82
2	9.80	0.8	13.3	0.00	0.00	4.84E-01	6.85	3.30	5.46	3.96	0.54	11.96
3	12.70	0.9	12.7	0.00	0.00	5.82E-01	6.85	3.30	5.46	3.96	0.54	11.96
4	15.10	0.9	12.2	0.00	0.00	6.36E-01	6.85	3.30	5.46	3.96	0.54	11.96
5	16.90	1.0	12.2	0.00	0.00	7.04E-01	3.74	1.77	3.38	1.85	0.16	4.26
6	19.70	1.1	12.2	0.00	0.00	7.94E-01	3.74	1.77	3.38	1.85	0.16	4.26
7	22.10	1.2	12.4	0.00	0.00	8.73E-01	3.74	1.77	3.38	1.85	0.16	4.26
8	25.30	1.2	12.4	0.00	0.00	9.36E-01	3.74	1.77	3.38	1.85	0.16	4.26
9	27.50	1.3	12.4	0.00	0.00	1.01E+00	3.74	1.77	3.38	1.85	0.16	4.26
10	31.40	1.3	12.4	0.00	0.00	1.08E+00	3.74	1.77	3.38	1.85	0.16	4.26
11	35.70	1.4	12.4	0.00	0.00	1.19E+00	3.74	1.77	3.38	1.85	0.16	4.26
12	41.30	1.4	13.4	0.00	0.00	1.29E+00	3.74	1.77	3.38	1.85	0.16	4.26
13	47.20	1.5	13.4	0.00	0.00	1.42E+00	3.74	1.77	3.38	1.85	0.16	4.26
14	51.20	1.6	13.4	0.00	0.00	1.52E+00	3.74	1.77	3.38	1.85	0.16	4.26
15	56.70	1.6	13.4	0.00	0.00	1.60E+00	3.74	1.77	3.38	1.85	0.16	4.26
16	59.00	1.6	13.4	0.00	0.00	1.63E+00	3.74	1.77	3.38	1.85	0.16	4.26
17	70.00	1.6	14.8	0.08	0.08	1.78E+00	2.94	1.40	1.79	1.61	0.22	2.97
18	70.90	1.6	12.0	0.00	0.00	1.80E+00	2.94	1.40	1.79	1.61	0.22	2.97

**Building** Office (pre 1970)

Building footprint (m <sup>2</sup> )	4.24E+02
Living space air exchange rate (hr <sup>-1</sup> )	1.00E+00
Living space height (above ground, m)	9.60E+00
Living space height (below ground, m)	0.00E+00
Pressure difference (soil to enclosed space, Pa)	4.40E+00
Foundation thickness (m)	1.50E-01
Floor crack area (cm <sup>2</sup> )	1.65E+03
Dust loading factor (µg m <sup>-3</sup> )	1.00E+02

**Soil** Sandy loam

Porosity, Total (cm <sup>3</sup> cm <sup>-3</sup> )	5.30E-01
Porosity, Air-Filled (cm <sup>3</sup> cm <sup>-3</sup> )	2.00E-01
Porosity, Water-Filled (cm <sup>3</sup> cm <sup>-3</sup> )	3.30E-01
Residual soil water content (cm <sup>3</sup> cm <sup>-3</sup> )	1.20E-01
Saturated hydraulic conductivity (cm s <sup>-1</sup> )	3.56E-03
van Genuchten shape parameter <i>m</i> (dimensionless)	3.20E-01
Bulk density (g cm <sup>-3</sup> )	1.21E+00
Threshold value of wind speed at 10m (m s <sup>-1</sup> )	7.20E+00
Empirical function ( <i>F<sub>x</sub></i> ) for dust model (dimensionless)	1.22E+00
Ambient soil temperature (K)	2.83E+02
Soil pH	7.00E+00
Soil Organic Matter content (%)	6.00E+00
Fraction of organic carbon (g g <sup>-1</sup> )	3.48E-02
Effective total fluid saturation (unitless)	5.12E-01
Intrinsic soil permeability (cm <sup>2</sup> )	4.75E-08
Relative soil air permeability (unitless)	6.42E-01
Effective air permeability (cm <sup>2</sup> )	3.05E-08



**Soil - Vapour Model**

Depth to top of source (no building) (cm)	0
Depth to top of source (beneath building) (cm)	65
Default soil gas ingress rate?	Yes
Soil gas ingress rate (cm <sup>3</sup> s <sup>-1</sup> )	1.50E+02
Building ventilation rate (cm <sup>3</sup> s <sup>-1</sup> )	1.13E+06
Averaging time surface emissions (yr)	49
Finite vapour source model?	No
Thickness of contaminated layer (cm)	200

**Air Dispersion Model**

Mean annual windspeed at 10m (m s <sup>-1</sup> )	5.00
Air dispersion factor at height of 0.8m *	68.00
Air dispersion factor at height of 1.6m *	120.00
Fraction of site cover (m <sup>2</sup> m <sup>-2</sup> )	0.8

\* Air dispersion factor in g m<sup>-2</sup> s<sup>-1</sup> per kg m<sup>-3</sup>

**Soil - Plant Model**

	Dry weight conversion factor	Homegrown fraction		Soil loading factor	Preparation correction factor
	g DW g <sup>-1</sup> FW	Average	High		
		dimensionless		g g <sup>-1</sup> DW	dimensionless
Green vegetables	0.096	0.05	0.33	1.00E-03	2.00E-01
Root vegetables	0.103	0.06	0.40	1.00E-03	1.00E+00
Tuber vegetables	0.210	0.02	0.13	1.00E-03	1.00E+00
Herbaceous fruit	0.058	0.06	0.40	1.00E-03	6.00E-01
Shrub fruit	0.166	0.09	0.60	1.00E-03	6.00E-01
Tree fruit	0.157	0.04	0.27	1.00E-03	6.00E-01

Gardener type None