

TABLE D.14.24: DAYTIME OPERATIONAL NOISE LEVELS

CALCULATED DAYTIME OCTAVE BAND NOISE LEVELS AT RECEPTORS
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R1	1. Floor	37.0	48.0	44.8	37.6	34.5	38.1	29.6	24.5	13.2	-9.0
	2. Floor	37.6	48.1	44.9	37.7	35.4	38.9	29.9	24.7	13.9	-6.9
R2	1. Floor	39.2	50.1	45.7	39.8	35.9	40.3	31.6	27.0	20.0	6.9
	2. Floor	39.8	49.9	45.7	39.9	37.4	41.0	31.9	27.4	20.1	7.0
R3	3. Floor	39.9	50.0	46.1	40.8	37.9	41.0	32.0	27.4	20.1	6.9
	1. Floor	38.8	48.7	44.8	39.5	34.9	40.0	31.1	26.8	20.7	8.8
R4	2. Floor	39.3	48.7	45.1	39.4	36.7	40.6	31.2	26.8	20.7	8.8
	3. Floor	39.6	49.9	46.4	40.5	37.3	40.8	31.4	26.9	20.6	8.7
R5	1. Floor	36.3	48.2	43.8	38.4	33.0	37.1	28.9	24.5	19.3	7.5
	2. Floor	37.1	47.8	43.7	37.9	34.6	38.2	29.2	24.9	19.3	7.4
R6	3. Floor	37.4	47.8	43.9	38.8	35.4	38.4	29.4	25.1	19.3	7.3
	1. Floor	29.1	45.4	40.9	33.2	29.2	29.5	21.0	15.8	3.3	-13.5
R7	2. Floor	31.9	46.3	42.4	35.2	31.8	32.6	23.9	18.5	7.9	-7.7
	3. Floor	34.7	47.6	44.3	37.7	34.5	35.3	26.9	21.7	10.9	-5.9
R8	1. Floor	36.2	47.5	43.5	36.3	33.3	37.2	29.1	24.6	13.3	-5.7
	2. Floor	36.7	47.9	44.0	37.1	34.6	37.9	28.8	24.0	13.5	-4.7
R9	3. Floor	37.7	48.5	45.0	38.3	35.6	38.8	29.6	25.0	15.1	-2.2
	1. Floor	33.3	46.9	42.5	35.2	31.6	34.5	25.2	19.3	8.7	-8.0
R10	2. Floor	34.4	46.9	43.0	36.2	33.3	35.5	26.4	21.1	10.5	-6.7
	3. Floor	36.5	47.8	44.1	37.3	34.2	37.8	28.3	23.2	13.9	-3.1
R11	1. Floor	32.5	46.2	42.2	35.6	30.3	33.2	25.4	20.4	12.3	-4.9
	2. Floor	33.1	46.4	43.2	35.4	31.6	33.9	25.5	20.6	12.5	-4.7
R12	3. Floor	33.3	46.4	43.1	36.2	32.1	34.1	25.6	20.8	12.5	-4.7
	1. Floor	29.7	45.4	42.0	32.5	27.6	30.1	22.8	18.1	7.6	-20.8
R13	2. Floor	30.3	45.1	41.7	32.3	28.6	31.0	22.9	18.4	7.7	-17.9
	3. Floor	30.6	45.1	41.8	33.1	29.4	31.1	23.1	18.9	7.8	-17.4
R14	1. Floor	33.9	47.5	43.5	36.7	31.2	34.7	26.5	21.5	15.5	3.9
	2. Floor	34.9	47.2	43.1	37.1	32.8	35.7	27.2	22.7	16.6	4.6
R15	3. Floor	35.5	47.2	43.5	37.9	33.3	36.3	27.7	23.4	17.0	4.9
	4. Floor	35.6	47.4	43.8	38.4	33.4	36.5	27.9	23.5	17.1	5.0
R16	5. Floor	35.9	47.4	43.9	38.6	33.8	36.8	28.1	23.7	17.2	5.2
	1. Floor	32.9	48.0	44.4	36.8	31.4	33.1	25.9	20.9	15.4	3.6
R17	2. Floor	33.8	47.6	44.0	37.1	33.0	34.0	26.5	22.0	16.0	3.9
	3. Floor	34.4	47.6	44.0	38.0	33.4	34.6	27.2	22.8	16.4	4.1
R18	4. Floor	34.7	47.7	44.4	38.5	33.6	34.9	27.4	23.0	16.6	4.2
	5. Floor	35.0	47.8	44.5	38.6	33.9	35.3	27.7	23.2	16.5	4.1
R19	1. Floor	31.9	46.6	42.9	35.2	29.7	32.0	25.2	20.2	16.1	-0.6
	2. Floor	32.7	46.2	42.3	35.0	31.0	33.0	25.9	21.4	16.3	-0.5
R20	3. Floor	32.7	46.3	42.3	35.8	31.2	32.9	25.7	21.3	16.3	-0.4
	4. Floor	32.9	46.4	42.6	36.6	31.6	33.1	25.8	21.4	16.4	-0.3
R21	5. Floor	33.1	46.6	43.1	36.8	31.9	33.4	25.9	21.5	16.4	-0.2
	1. Floor	31.6	45.8	41.9	34.9	29.8	31.8	24.6	19.7	15.1	-1.0
R22	2. Floor	31.5	45.6	41.4	34.6	30.4	31.8	24.3	20.3	14.9	-1.3
	3. Floor	32.1	45.8	41.6	35.6	31.1	32.4	24.6	20.3	15.0	-1.0
R23	4. Floor	32.3	46.0	42.0	36.4	31.5	32.6	24.6	20.4	15.0	-0.9
	5. Floor	32.5	46.4	42.9	36.6	31.8	32.9	24.7	20.4	15.1	-0.9
R24	1. Floor	32.7	45.9	42.3	34.7	30.0	33.0	26.5	21.9	13.6	-4.1
	2. Floor	33.2	45.9	42.4	34.9	31.2	33.8	26.4	21.8	14.1	-3.9
R25	3. Floor	33.8	46.1	42.7	35.9	31.8	34.4	26.9	22.5	14.4	-3.7
	4. Floor	34.2	46.3	43.1	36.5	32.4	34.8	27.2	22.9	15.0	-3.6
R26	5. Floor	34.9	46.5	43.5	36.9	32.9	35.0	28.5	24.5	15.2	-3.6
	1. Floor	31.2	46.1	42.6	34.5	29.6	30.9	25.0	20.4	11.2	-6.1
R27	2. Floor	31.8	46.0	42.5	34.6	30.7	31.7	25.2	20.7	11.5	-6.4
	3. Floor	32.4	46.2	42.9	35.7	31.4	32.5	25.7	21.3	11.8	-6.1
R28	4. Floor	33.0	46.5	43.6	36.5	32.3	32.9	26.2	22.0	12.6	-6.0
	5. Floor	33.9	47.1	44.5	37.2	33.2	33.4	27.5	24.3	13.4	-6.0
R29	1. Floor	27.8	46.2	43.1	33.8	28.2	27.3	19.8	14.8	7.5	-12.1
	2. Floor	28.6	46.3	43.4	34.4	29.9	28.1	20.2	15.1	8.5	-11.0
R30	3. Floor	29.4	46.2	43.5	35.4	30.8	28.9	21.1	15.9	8.6	-10.9
	4. Floor	30.4	46.6	44.1	36.2	31.9	30.0	22.3	17.0	8.8	-10.9
R31	5. Floor	31.3	46.8	44.6	36.8	32.7	30.7	23.5	19.2	9.2	-10.8
	1. Floor	30.8	47.4	45.0	35.3	30.2	30.9	23.2	18.4	11.0	-11.9
R32	2. Floor	31.4	47.2	45.0	35.7	31.6	31.6	23.3	18.4	11.1	-11.0
	3. Floor	31.9	47.0	44.7	36.4	32.2	32.1	23.6	18.8	11.2	-11.1
R33	4. Floor	32.5	47.3	45.3	37.3	33.1	32.6	24.2	19.4	11.2	-11.1
	5. Floor	33.1	47.4	45.7	37.8	33.9	33.1	25.1	20.4	11.3	-11.0

TABLE D.14.24: DAYTIME OPERATIONAL NOISE LEVELS (CONTINUED)

CALCULATED DAYTIME OCTAVE BAND NOISE LEVELS AT RECEPTORS
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R14	1. Floor	31.4	46.6	44.3	35.0	31.1	31.6	24.2	18.9	6.7	-17.5
	2. Floor	31.9	46.5	44.2	35.4	31.9	32.2	24.4	19.2	6.7	-17.4
	3. Floor	32.4	46.5	44.4	36.1	32.5	32.8	24.5	19.6	6.8	-17.4
	4. Floor	32.9	46.9	45.0	36.8	33.2	33.3	25.0	20.3	7.7	-16.3
	5. Floor	33.4	46.5	44.8	37.1	33.7	33.6	25.9	21.0	8.0	-16.1
R14	1. Floor	29.2	45.9	43.2	33.6	29.2	29.1	21.8	17.0	5.1	-20.0
	2. Floor	29.9	45.9	43.2	34.3	30.5	29.8	22.2	17.4	5.0	-20.1
	3. Floor	30.7	46.0	43.6	35.2	31.4	30.7	23.0	18.2	5.2	-20.2
	4. Floor	31.5	46.4	44.3	36.1	32.4	31.4	23.9	19.2	6.0	-19.4
	5. Floor	32.4	47.0	45.3	37.0	33.4	32.0	24.9	20.0	6.4	-19.2
R15	1. Floor	32.6	47.9	44.1	36.7	31.3	32.0	25.7	22.1	18.2	6.3
	2. Floor	33.1	47.5	43.8	36.6	32.9	32.7	25.7	22.0	18.4	6.6
	3. Floor	33.8	47.8	44.2	37.5	33.4	33.1	26.9	23.5	18.8	6.7
	4. Floor	34.2	48.1	44.8	38.3	34.0	33.6	27.2	23.8	18.9	6.8
	5. Floor	34.6	48.3	45.1	38.5	34.3	34.2	27.4	23.8	19.0	7.0
R15	1. Floor	32.7	48.2	44.7	37.0	31.9	32.7	24.8	21.4	17.3	3.6
	2. Floor	33.1	48.1	44.6	36.9	33.3	33.2	24.9	21.4	17.5	3.9
	3. Floor	33.9	48.2	44.9	37.8	33.8	33.6	26.3	23.3	18.1	4.1
	4. Floor	34.5	48.5	45.5	38.7	34.7	34.3	26.8	23.6	18.3	4.3
	5. Floor	35.0	48.7	45.9	38.9	35.0	35.1	27.1	23.4	18.3	4.8
R16	1. Floor	35.1	49.5	47.2	38.5	33.6	34.6	27.9	24.9	21.9	4.1
	2. Floor	35.5	49.1	46.7	38.4	35.2	35.1	28.1	24.9	21.8	4.1
	3. Floor	36.2	49.1	47.0	39.3	35.9	35.6	29.1	26.0	22.0	4.3
	4. Floor	37.1	49.4	47.7	40.2	36.8	36.9	29.7	26.3	22.1	4.5
	5. Floor	37.2	49.7	48.0	40.4	37.3	36.9	29.6	26.3	22.1	4.5
R16	1. Floor	35.5	49.9	47.8	39.2	34.6	35.1	28.0	24.8	21.5	2.4
	2. Floor	35.9	49.6	47.6	39.2	36.1	35.5	28.2	24.9	21.4	2.4
	3. Floor	36.6	49.6	47.8	40.0	36.8	36.2	29.4	26.0	21.6	2.6
	4. Floor	37.4	49.9	48.3	40.8	37.6	37.2	29.8	26.3	21.6	2.8
	5. Floor	37.7	50.2	48.7	41.1	38.2	37.5	30.0	26.5	21.6	2.8
R17	1. Floor	36.5	50.7	49.6	40.9	35.9	35.6	29.6	26.6	20.8	1.1
	2. Floor	36.8	50.3	49.1	40.7	37.4	36.0	29.5	26.3	20.4	1.0
	3. Floor	37.5	50.5	49.5	41.5	38.0	36.8	30.4	27.1	20.6	1.3
	4. Floor	38.4	50.7	49.7	42.0	38.8	38.2	30.7	27.3	20.7	1.3
	5. Floor	38.5	50.6	49.6	42.1	39.2	38.3	30.8	27.3	20.7	1.3
R17	1. Floor	37.8	51.8	51.0	42.2	37.3	36.5	31.4	28.6	21.2	1.2
	2. Floor	37.9	51.1	50.4	41.8	38.7	36.7	31.1	28.1	20.7	1.0
	3. Floor	38.5	51.1	50.3	42.4	39.1	37.5	31.6	28.5	20.9	1.2
	4. Floor	39.1	51.1	50.4	42.8	39.7	38.7	31.8	28.7	21.0	1.2
	5. Floor	39.3	51.2	50.5	43.0	40.1	38.8	31.9	28.9	21.0	1.2
R18	1. Floor	37.8	51.8	51.3	42.3	37.4	35.7	31.8	29.0	20.0	-2.0
	2. Floor	37.8	51.0	50.4	41.7	38.5	36.0	31.4	28.5	19.3	-2.4
	3. Floor	38.0	50.8	50.3	42.1	38.9	36.4	31.8	28.7	19.2	-2.6
	4. Floor	38.4	50.7	50.3	42.5	39.1	37.1	32.0	28.9	19.3	-2.6
	5. Floor	38.6	50.7	50.2	42.6	39.4	37.4	32.1	29.1	19.3	-2.6
R18	1. Floor	38.1	51.9	51.4	42.5	37.9	36.1	32.1	29.2	20.1	-2.2
	2. Floor	37.9	51.0	50.5	41.9	38.8	36.1	31.6	28.7	19.4	-2.6
	3. Floor	38.2	50.3	49.9	42.1	39.0	36.4	32.0	29.0	19.4	-2.7
	4. Floor	38.6	50.6	50.2	42.7	39.4	37.1	32.3	29.3	19.5	-2.7
	5. Floor	38.9	50.6	50.2	42.8	39.7	37.5	32.4	29.5	19.5	-2.8
R19	1. Floor	33.2	48.7	47.6	38.9	34.9	32.2	25.6	20.9	13.2	-12.3
	2. Floor	34.5	48.7	47.7	39.3	36.3	33.6	27.4	22.9	13.5	-11.5
	3. Floor	35.3	48.3	47.6	39.7	36.8	34.2	28.7	24.7	14.6	-10.3
	4. Floor	35.6	47.3	46.6	39.4	36.7	34.5	29.3	26.0	15.3	-10.0
	5. Floor	36.9	47.5	47.0	39.9	37.3	35.4	30.8	28.6	17.7	-6.8
R19	1. Floor	33.1	48.2	46.7	38.3	34.7	32.3	25.7	20.8	11.9	-13.4
	2. Floor	34.3	48.6	47.3	38.8	35.9	33.3	27.3	22.8	12.4	-12.5
	3. Floor	35.1	48.0	47.0	39.3	36.4	33.8	28.5	24.6	13.7	-11.1
	4. Floor	35.8	47.8	47.0	39.6	37.0	34.4	29.6	25.9	14.8	-10.4
	5. Floor	36.4	47.3	46.7	39.7	37.1	34.9	30.2	27.5	16.9	-6.7
R20	1. Floor	36.8	47.8	44.0	37.0	33.8	36.9	30.1	28.0	17.3	-8.4
	2. Floor	38.1	48.5	45.5	37.7	34.8	37.7	32.0	29.9	19.9	-3.0
R21	1. Floor	39.2	51.4	48.3	40.1	36.8	39.2	31.9	30.4	20.9	-3.3
	2. Floor	41.1	51.6	49.0	41.1	38.1	40.6	35.1	32.3	22.8	1.0
R22	1. Floor	37.7	53.1	50.7	41.7	37.8	36.5	31.5	27.5	15.7	-4.4
	2. Floor	40.2	54.0	51.9	43.1	39.5	38.5	34.9	31.2	19.8	-3.2
R23	1. Floor	38.5	54.4	52.7	43.9	40.5	37.0	31.3	27.3	15.5	-1.0

2. Floor	40.7	55.5	54.2	45.5	42.5	39.1	33.8	30.4	19.2	2.0
----------	------	------	------	------	------	------	------	------	------	-----

TABLE D.14.25: NIGHT-TIME OPERATIONAL NOISE LEVELS - NO WORKSHOP ACTIVITY

CALCULATED NIGHT-TIME OCTAVE BAND NOISE LEVELS AT RECEPTORS - NO WORKSHOP ACTIVITY
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R1	1. Floor	36.1	43.9	35.8	34.0	31.4	37.7	28.6	23.0	12.7	-9.0
	2. Floor	36.7	44.2	36.2	34.1	32.5	38.5	28.5	23.0	13.5	-6.9
R2	1. Floor	38.5	47.7	39.3	37.9	33.8	40.0	30.7	25.8	19.5	6.6
	2. Floor	39.1	47.7	39.5	37.8	35.6	40.7	30.8	25.9	19.5	6.5
R3	3. Floor	39.1	47.7	39.5	38.7	36.0	40.7	30.8	25.8	19.4	6.4
	1. Floor	38.3	45.8	38.1	38.1	33.5	39.8	30.3	25.5	20.2	8.5
R4	2. Floor	38.8	45.9	38.2	37.7	35.3	40.4	30.4	25.5	20.2	8.5
	3. Floor	39.0	47.4	39.3	38.6	35.8	40.6	30.5	25.6	20.1	8.4
R5	1. Floor	35.7	45.8	37.8	37.2	31.4	36.9	28.1	23.5	18.9	7.3
	2. Floor	36.5	45.3	37.5	36.5	33.1	37.9	28.2	23.6	18.9	7.2
R6	3. Floor	36.7	45.3	37.5	37.3	33.9	38.1	28.4	23.6	18.9	7.2
	1. Floor	27.8	42.3	32.4	30.1	26.9	29.0	19.7	14.4	2.4	-13.6
R7	2. Floor	30.5	43.2	33.7	31.8	28.8	31.9	22.2	17.2	7.7	-7.7
	3. Floor	33.0	44.2	35.4	34.1	31.0	34.4	24.6	19.3	10.2	-5.9
R8	1. Floor	35.4	44.5	36.0	33.6	31.0	36.9	28.0	23.2	12.7	-6.1
	2. Floor	35.9	45.2	36.7	34.5	32.4	37.6	27.7	22.6	12.7	-5.4
R9	3. Floor	36.9	45.3	37.0	35.6	33.4	38.5	28.6	23.7	14.5	-2.6
	1. Floor	32.5	44.6	35.8	32.7	29.5	34.2	24.2	18.1	8.3	-8.1
R10	2. Floor	33.4	44.1	35.6	33.6	31.0	35.0	25.0	19.3	9.8	-6.8
	3. Floor	35.7	44.6	36.2	34.8	31.9	37.5	27.2	21.9	13.6	-3.2
R11	1. Floor	31.5	42.2	34.0	33.9	28.4	32.8	24.0	18.1	11.2	-5.4
	2. Floor	32.0	42.2	34.3	33.2	29.5	33.5	23.9	18.3	11.5	-5.0
R12	3. Floor	32.2	42.2	34.3	34.0	30.0	33.6	24.0	18.4	11.6	-5.0
	1. Floor	27.7	38.7	29.6	28.4	24.3	29.1	20.0	14.5	1.6	-21.5
R13	2. Floor	28.4	38.6	29.6	28.5	25.1	30.0	20.2	15.1	3.0	-18.7
	3. Floor	28.5	38.7	29.7	28.8	25.7	30.0	20.2	15.9	3.3	-18.2
R14	1. Floor	33.0	41.6	33.4	35.1	29.3	34.1	25.6	20.0	14.9	3.8
	2. Floor	33.7	41.9	33.8	35.5	30.8	35.1	25.7	20.1	15.6	4.4
R15	3. Floor	34.2	42.0	34.2	36.2	31.2	35.6	25.8	20.2	15.8	4.7
	4. Floor	34.3	42.0	34.3	36.7	31.4	35.7	25.9	20.3	16.0	4.8
R16	5. Floor	34.5	41.5	34.1	36.8	31.7	36.0	26.1	20.5	16.1	4.9
	1. Floor	31.2	41.3	33.0	34.7	29.2	32.1	23.5	18.3	14.7	3.5
R17	2. Floor	31.9	41.7	33.5	35.2	30.6	32.9	23.6	18.3	15.1	3.8
	3. Floor	32.4	41.7	33.9	36.0	31.0	33.5	23.7	18.5	15.3	4.0
R18	4. Floor	32.5	41.7	34.0	36.3	31.2	33.6	23.8	18.5	15.4	4.1
	5. Floor	32.8	41.2	33.8	36.5	31.5	33.9	24.1	18.7	15.5	4.2
R19	1. Floor	30.8	40.2	31.7	33.2	28.0	31.5	24.3	18.4	12.9	-0.6
	2. Floor	31.6	40.5	32.0	33.1	29.5	32.5	24.6	18.8	13.0	-0.6
R20	3. Floor	31.3	40.6	32.1	34.1	29.0	32.3	24.0	18.3	13.1	-0.5
	4. Floor	31.4	40.6	32.3	34.6	29.2	32.4	24.0	18.3	13.3	-0.4
R21	5. Floor	31.6	40.7	32.4	34.7	29.4	32.5	24.1	18.4	13.3	-0.4
	1. Floor	30.3	39.9	31.5	33.0	28.0	31.3	22.9	17.1	12.5	-1.3
R22	2. Floor	29.9	40.3	31.8	32.8	28.4	31.1	21.7	16.0	12.4	-1.3
	3. Floor	30.4	40.3	31.9	33.8	28.7	31.7	21.8	16.2	12.5	-1.2
R23	4. Floor	30.6	40.4	32.1	34.3	29.0	31.8	21.8	16.2	12.6	-1.1
	5. Floor	30.7	40.5	32.2	34.4	29.2	32.0	21.9	16.3	12.7	-1.1
R24	1. Floor	30.5	39.5	30.9	31.7	26.6	31.9	23.0	17.1	11.6	-4.1
	2. Floor	31.1	39.5	31.1	31.6	27.6	32.6	23.0	17.1	12.3	-4.1
R25	3. Floor	31.5	39.9	31.3	32.8	28.0	33.0	23.1	17.3	12.4	-3.9
	4. Floor	31.6	39.9	31.4	33.3	28.2	33.2	23.2	17.5	12.5	-3.8
R26	5. Floor	31.7	40.0	31.5	33.2	28.4	33.3	23.2	17.6	12.6	-3.9
	1. Floor	28.3	39.3	30.5	31.2	26.1	29.6	20.2	14.3	9.9	-6.3
R27	2. Floor	28.9	39.3	30.8	31.1	27.2	30.3	20.2	14.4	9.9	-6.5
	3. Floor	29.3	39.7	31.1	32.5	27.7	30.8	20.3	14.5	10.1	-6.4
R28	4. Floor	29.5	39.7	31.2	32.9	27.9	30.9	20.4	14.7	10.1	-6.3
	5. Floor	29.6	39.8	31.3	33.0	28.1	31.1	20.5	14.9	10.3	-6.3
R29	1. Floor	23.6	37.5	28.6	29.3	23.5	24.5	14.2	7.2	6.0	-12.4
	2. Floor	24.4	37.6	28.9	29.7	25.1	25.3	14.9	8.0	7.3	-11.2
R30	3. Floor	25.1	37.8	29.2	30.5	25.8	25.8	16.3	9.7	7.3	-11.2
	4. Floor	26.1	38.1	29.5	31.1	26.4	26.8	17.8	11.9	7.5	-11.2
R31	5. Floor	26.6	38.5	29.9	31.4	26.4	26.9	18.4	15.1	7.7	-11.1
	1. Floor	27.2	38.2	29.3	29.6	24.9	28.6	19.1	13.3	6.4	-13.0
R32	2. Floor	27.9	38.2	29.5	30.0	25.9	29.4	19.2	13.6	7.6	-11.9
	3. Floor	28.1	38.6	29.9	30.8	26.3	29.6	19.2	13.8	7.6	-11.9
R33	4. Floor	28.4	38.7	30.0	31.4	26.7	29.9	19.5	14.3	7.6	-11.9
	5. Floor	28.6	38.7	30.1	31.6	26.9	30.0	19.6	15.0	7.7	-11.8

TABLE D.14.25: NIGHT-TIME OPERATIONAL NOISE LEVELS - NO WORKSHOP ACTIVITY (CONTINUED)

CALCULATED NIGHT-TIME OCTAVE BAND NOISE LEVELS AT RECEPTORS - NO WORKSHOP ACTIVITY
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R14	1. Floor	28.2	37.3	28.1	27.9	23.9	29.7	20.5	14.9	4.9	-17.5
	2. Floor	28.7	37.4	28.4	28.7	24.8	30.3	20.7	15.4	5.1	-16.8
	3. Floor	29.3	37.4	28.5	29.3	25.2	31.0	20.8	16.1	5.4	-16.9
	4. Floor	29.5	37.9	29.0	29.9	25.5	31.1	21.0	16.6	5.9	-16.4
	5. Floor	29.6	37.9	29.2	30.1	25.8	31.2	21.2	16.6	6.0	-16.3
R14	1. Floor	26.0	37.1	28.0	27.3	23.6	27.4	18.1	12.5	2.1	-20.7
	2. Floor	26.6	37.3	28.1	28.3	24.5	28.0	18.2	13.0	2.2	-20.6
	3. Floor	27.1	37.3	28.2	29.0	24.9	28.6	18.3	13.8	2.0	-20.8
	4. Floor	27.3	37.3	28.5	29.7	25.3	28.8	18.5	14.0	2.9	-20.0
	5. Floor	27.5	37.8	29.0	29.9	25.6	29.0	18.7	14.1	3.0	-19.8
R15	1. Floor	28.1	39.7	31.7	33.7	27.2	28.2	19.9	14.7	16.9	6.1
	2. Floor	28.9	40.0	32.0	33.7	29.2	29.1	20.2	14.9	17.1	6.4
	3. Floor	29.2	40.1	32.0	34.4	29.6	29.4	20.4	15.1	17.2	6.4
	4. Floor	29.7	40.2	32.1	35.1	30.2	30.0	20.7	15.4	17.3	6.5
	5. Floor	29.9	40.3	32.1	35.2	30.3	30.2	20.8	15.5	17.4	6.8
R15	1. Floor	27.6	39.4	31.2	33.3	27.2	28.2	18.2	12.8	14.4	3.2
	2. Floor	28.3	39.7	31.6	33.3	29.0	29.0	18.5	13.0	14.8	3.5
	3. Floor	28.6	39.9	31.7	34.2	29.4	29.2	18.7	13.2	14.9	3.6
	4. Floor	29.2	39.9	31.7	34.7	30.0	29.9	19.1	13.6	15.1	3.8
	5. Floor	29.3	40.0	31.8	34.8	30.1	30.0	19.2	13.7	15.4	4.4
R16	1. Floor	27.1	38.2	29.8	31.4	26.3	27.6	19.1	13.8	14.2	1.5
	2. Floor	27.8	38.7	30.2	31.5	27.9	28.3	19.3	13.9	14.2	1.5
	3. Floor	28.5	38.7	30.3	32.2	28.7	29.1	20.2	14.5	14.3	1.7
	4. Floor	29.5	38.8	30.4	32.9	29.4	30.1	21.5	16.0	14.7	2.1
	5. Floor	28.1	38.8	30.3	32.9	28.4	28.5	19.1	14.0	14.8	2.2
R16	1. Floor	27.4	38.0	29.5	31.0	27.1	28.2	18.4	13.0	12.8	-1.8
	2. Floor	28.0	38.4	29.9	31.2	28.6	28.9	18.8	13.3	12.9	-1.7
	3. Floor	28.7	38.5	30.0	32.0	29.2	29.5	19.6	13.9	13.0	-1.5
	4. Floor	28.1	38.5	30.0	32.4	28.9	28.9	18.4	13.2	13.2	-1.1
	5. Floor	27.8	38.6	30.0	32.5	28.8	28.6	17.4	12.3	13.4	-0.8
R17	1. Floor	26.0	36.4	27.9	29.9	24.8	27.0	17.3	12.0	11.5	-4.8
	2. Floor	26.3	36.4	27.8	29.6	25.9	27.3	17.3	12.0	11.4	-4.9
	3. Floor	26.5	36.5	28.0	30.5	26.3	27.4	17.4	12.2	11.7	-4.2
	4. Floor	26.9	36.5	28.0	30.9	26.7	27.9	17.7	12.5	12.0	-4.0
	5. Floor	27.0	36.6	28.0	31.0	26.8	28.0	17.8	12.7	12.1	-3.8
R17	1. Floor	24.7	36.1	27.8	29.9	24.6	25.6	15.2	9.9	8.8	-7.9
	2. Floor	25.0	36.1	27.6	29.3	25.7	26.0	15.3	9.9	8.7	-7.9
	3. Floor	25.3	36.2	27.7	30.2	26.0	26.2	15.4	10.0	8.9	-7.5
	4. Floor	25.7	36.2	27.6	30.5	26.5	26.6	15.6	10.4	9.3	-7.0
	5. Floor	25.8	36.2	27.6	30.7	26.6	26.7	15.8	10.6	9.5	-6.8
R18	1. Floor	21.5	32.6	23.4	25.0	21.3	23.0	11.2	5.1	-1.1	-20.6
	2. Floor	22.2	32.7	23.6	25.0	22.4	23.7	12.0	5.5	-0.4	-20.3
	3. Floor	23.2	32.8	23.8	25.9	23.0	24.6	14.1	7.8	-0.3	-20.2
	4. Floor	24.6	33.0	24.3	27.3	24.3	25.8	16.0	10.3	1.0	-18.6
	5. Floor	24.8	33.2	24.7	28.1	24.3	25.8	16.4	11.8	2.2	-17.9
R18	1. Floor	22.2	33.3	24.4	26.8	22.5	23.4	11.9	5.4	1.7	-17.9
	2. Floor	22.7	33.4	24.2	26.3	23.5	23.9	12.4	5.6	2.1	-17.3
	3. Floor	23.4	33.4	24.2	27.0	24.0	24.5	14.0	7.6	2.6	-16.7
	4. Floor	23.5	33.5	24.4	27.7	24.2	24.6	13.8	8.2	3.2	-15.9
	5. Floor	23.9	33.5	24.5	28.1	24.6	24.8	14.4	9.7	3.7	-15.8
R19	1. Floor	20.3	32.7	23.1	25.2	20.8	21.3	10.3	3.9	0.3	-20.7
	2. Floor	21.4	32.7	23.3	25.2	22.2	22.5	12.0	5.1	0.8	-20.3
	3. Floor	22.0	32.8	23.4	25.8	22.8	22.9	13.3	6.3	1.0	-20.1
	4. Floor	23.2	32.8	23.6	26.6	23.7	24.1	15.1	8.7	1.7	-19.5
	5. Floor	23.1	32.9	23.8	27.1	23.5	23.5	15.5	11.3	2.1	-19.3
R19	1. Floor	22.2	33.3	23.9	26.1	22.0	23.2	13.8	7.8	2.1	-19.5
	2. Floor	22.7	33.4	24.0	26.1	23.1	23.7	13.9	7.9	3.0	-18.8
	3. Floor	23.2	33.4	24.1	26.7	23.6	24.1	14.6	8.4	3.1	-18.8
	4. Floor	24.0	33.5	24.2	27.4	24.4	25.0	15.6	9.7	3.4	-18.4
	5. Floor	23.1	33.7	24.3	27.5	23.8	23.8	13.9	10.6	3.5	-18.4
R20	1. Floor	35.1	44.1	35.8	33.8	31.0	36.4	27.2	23.7	14.1	-8.5
	2. Floor	36.1	43.8	35.9	33.8	31.7	37.1	28.8	26.3	17.6	-3.3
R21	1. Floor	37.1	46.1	37.6	35.0	32.9	38.6	28.9	25.6	17.0	-3.6
	2. Floor	38.7	45.5	37.6	35.4	33.7	39.8	31.2	28.4	20.4	0.6
R22	1. Floor	33.1	44.6	35.8	32.5	30.1	34.7	24.9	19.7	8.9	-14.5
	2. Floor	35.1	44.1	35.8	33.5	31.6	36.7	26.9	22.3	13.5	-10.2
R23	1. Floor	23.6	38.7	28.8	26.2	23.2	24.8	14.8	9.2	-1.5	-32.6

2. Floor	27.4	41.4	32.1	28.4	25.9	28.8	19.2	13.6	3.3	-27.5
----------	------	------	------	------	------	------	------	------	-----	-------

TABLE D.14.26: NIGHT-TIME OPERATIONAL NOISE LEVELS - WITH WORKSHOP ACTIVITY

CALCULATED NIGHT-TIME OCTAVE BAND NOISE LEVELS AT RECEPTORS - WITH WORKSHOP ACTIVITY
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R1	1. Floor	36.1	43.9	35.8	34.0	31.4	37.7	28.6	23.0	12.7	-9.0
	2. Floor	36.7	44.2	36.2	34.1	32.5	38.5	28.5	23.0	13.5	-6.9
R2	1. Floor	38.5	47.7	39.3	37.9	33.8	40.0	30.7	25.8	19.5	6.6
	2. Floor	39.1	47.7	39.5	37.8	35.6	40.7	30.8	25.9	19.5	6.5
R3	3. Floor	39.1	47.7	39.5	38.7	36.0	40.7	30.8	25.8	19.4	6.4
	1. Floor	38.3	45.8	38.2	38.1	33.5	39.8	30.3	25.5	20.2	8.5
R4	2. Floor	38.8	45.9	38.2	37.7	35.3	40.4	30.4	25.5	20.2	8.5
	3. Floor	39.0	47.4	39.3	38.7	35.8	40.6	30.5	25.6	20.1	8.4
R5	1. Floor	35.7	45.8	37.8	37.2	31.4	36.9	28.1	23.5	18.9	7.3
	2. Floor	36.5	45.3	37.5	36.5	33.2	37.9	28.2	23.6	18.9	7.2
R6	3. Floor	36.7	45.3	37.5	37.3	33.9	38.1	28.4	23.6	18.9	7.2
	1. Floor	27.8	42.3	32.4	30.1	26.9	29.0	19.7	14.4	2.4	-13.6
R7	2. Floor	30.5	43.2	33.7	31.8	28.8	31.9	22.2	17.2	7.7	-7.7
	3. Floor	33.0	44.2	35.4	34.2	31.0	34.4	24.6	19.3	10.2	-5.9
R8	1. Floor	35.4	44.5	36.0	33.6	31.0	36.9	28.0	23.2	12.7	-6.1
	2. Floor	35.9	45.2	36.7	34.5	32.4	37.6	27.7	22.6	12.7	-5.4
R9	3. Floor	36.9	45.3	37.0	35.6	33.4	38.5	28.6	23.7	14.5	-2.6
	1. Floor	32.5	44.6	35.8	32.7	29.5	34.2	24.2	18.1	8.3	-8.1
R10	2. Floor	33.4	44.1	35.6	33.6	31.0	35.0	25.0	19.3	9.8	-6.8
	3. Floor	35.7	44.6	36.2	34.8	31.9	37.5	27.2	21.9	13.6	-3.2
R11	1. Floor	31.5	42.2	34.0	34.0	28.4	32.8	24.0	18.1	11.2	-5.4
	2. Floor	32.0	42.2	34.3	33.3	29.5	33.5	23.9	18.3	11.5	-5.0
R12	3. Floor	32.2	42.2	34.3	34.1	30.0	33.6	24.0	18.4	11.6	-5.0
	1. Floor	27.7	38.7	29.6	28.5	24.4	29.1	20.0	14.5	1.6	-21.4
R13	2. Floor	28.4	38.6	29.7	28.6	25.2	30.0	20.2	15.1	3.0	-18.7
	3. Floor	28.6	38.7	29.7	29.0	25.8	30.0	20.2	15.9	3.4	-18.1
R14	1. Floor	33.0	41.6	33.4	35.1	29.4	34.2	25.6	20.0	14.9	3.8
	2. Floor	33.7	41.9	33.8	35.6	30.9	35.1	25.7	20.1	15.6	4.4
R15	3. Floor	34.2	42.0	34.2	36.3	31.3	35.7	25.8	20.2	15.8	4.7
	4. Floor	34.3	42.0	34.3	36.7	31.4	35.8	25.9	20.3	16.0	4.8
R16	5. Floor	34.6	41.5	34.1	36.9	31.8	36.0	26.1	20.5	16.1	4.9
	1. Floor	31.3	41.3	33.0	34.8	29.3	32.2	23.6	18.3	14.7	3.5
R17	2. Floor	32.0	41.7	33.5	35.3	30.7	33.0	23.6	18.3	15.1	3.8
	3. Floor	32.5	41.7	34.0	36.0	31.1	33.6	23.8	18.5	15.3	4.0
R18	4. Floor	32.6	41.7	34.0	36.4	31.3	33.8	23.8	18.5	15.4	4.1
	5. Floor	32.9	41.2	33.8	36.6	31.6	34.0	24.1	18.7	15.5	4.2
R19	1. Floor	30.8	40.2	31.7	33.3	28.1	31.5	24.3	18.4	12.9	-0.6
	2. Floor	31.6	40.5	32.0	33.1	29.5	32.5	24.6	18.8	13.0	-0.6
R20	3. Floor	31.3	40.6	32.1	34.1	29.1	32.3	24.0	18.3	13.1	-0.5
	4. Floor	31.5	40.6	32.3	34.7	29.3	32.4	24.0	18.3	13.3	-0.4
R21	5. Floor	31.6	40.7	32.5	34.7	29.5	32.6	24.1	18.4	13.3	-0.4
	1. Floor	30.3	39.9	31.5	33.1	28.1	31.3	22.9	17.1	12.5	-1.3
R22	2. Floor	30.0	40.3	31.8	32.9	28.4	31.1	21.7	16.0	12.4	-1.3
	3. Floor	30.5	40.3	31.9	33.9	28.8	31.7	21.8	16.2	12.5	-1.2
R23	4. Floor	30.6	40.4	32.1	34.4	29.1	31.9	21.8	16.2	12.6	-1.1
	5. Floor	30.8	40.5	32.2	34.5	29.3	32.1	21.9	16.3	12.7	-1.1
R24	1. Floor	30.6	39.5	30.9	31.9	26.9	32.0	23.0	17.1	11.6	-4.1
	2. Floor	31.3	39.5	31.1	31.9	28.0	32.8	23.1	17.2	12.3	-4.0
R25	3. Floor	31.7	39.9	31.3	32.9	28.4	33.3	23.2	17.3	12.4	-3.9
	4. Floor	31.8	39.9	31.4	33.4	28.6	33.4	23.3	17.5	12.5	-3.8
R26	5. Floor	31.9	40.0	31.6	33.4	28.9	33.5	23.3	17.6	12.6	-3.8
	1. Floor	28.5	39.3	30.6	31.4	26.4	29.8	20.2	14.3	9.9	-6.3
R27	2. Floor	29.1	39.3	30.8	31.3	27.5	30.5	20.3	14.4	9.9	-6.5
	3. Floor	29.6	39.7	31.1	32.6	28.0	31.1	20.4	14.6	10.1	-6.4
R28	4. Floor	29.8	39.7	31.2	33.1	28.2	31.3	20.5	14.7	10.1	-6.3
	5. Floor	29.9	39.8	31.3	33.1	28.5	31.4	20.6	15.0	10.3	-6.3
R29	1. Floor	23.9	37.5	28.6	29.5	23.8	24.9	14.3	7.3	6.0	-12.4
	2. Floor	24.7	37.6	29.0	29.9	25.5	25.7	15.0	8.1	7.3	-11.2
R30	3. Floor	25.5	37.8	29.2	30.7	26.1	26.2	16.4	9.8	7.3	-11.2
	4. Floor	26.4	38.1	29.5	31.3	26.7	27.2	17.9	12.0	7.5	-11.2
R31	5. Floor	26.9	38.5	29.9	31.6	26.8	27.3	18.4	15.1	7.8	-11.0
	1. Floor	27.4	38.2	29.4	29.9	25.2	28.8	19.2	13.3	6.4	-12.9
R32	2. Floor	28.1	38.2	29.5	30.3	26.3	29.6	19.3	13.6	7.6	-11.9
	3. Floor	28.4	38.6	29.9	31.2	26.7	30.0	19.3	13.8	7.6	-11.8
R33	4. Floor	28.7	38.7	30.1	31.7	27.0	30.2	19.5	14.3	7.6	-11.8
	5. Floor	28.9	38.7	30.2	31.8	27.4	30.3	19.7	15.0	7.7	-11.8

TABLE D.14.26: NIGHT-TIME OPERATIONAL NOISE LEVELS - WITH WORKSHOP ACTIVITY (CONTINUED)

CALCULATED NIGHT-TIME OCTAVE BAND NOISE LEVELS AT RECEPTORS - WITH WORKSHOP ACTIVITY
ROWS HIGHLIGHTED IN BLUE ARE THOSE FOR RECEPTOR/FLOOR COMBINATIONS REPORTED IN ES

RECEPTOR	FLOOR	OVERALL A-WT LEVEL	LINEAR OCTAVE BAND LEVEL (dB Leq)								
			31 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz
R14	1. Floor	28.2	37.3	28.2	28.1	24.1	29.8	20.5	15.0	4.9	-17.4
	2. Floor	28.8	37.4	28.4	28.9	25.1	30.4	20.7	15.4	5.1	-16.8
	3. Floor	29.4	37.4	28.6	29.5	25.5	31.1	20.8	16.1	5.4	-16.8
	4. Floor	29.6	37.9	29.0	30.1	25.8	31.2	21.0	16.6	5.9	-16.4
	5. Floor	29.7	37.9	29.2	30.3	26.1	31.4	21.2	16.6	6.0	-16.2
R14	1. Floor	26.1	37.1	28.0	27.5	23.8	27.5	18.1	12.5	2.1	-20.6
	2. Floor	26.7	37.3	28.1	28.5	24.7	28.1	18.2	13.0	2.2	-20.5
	3. Floor	27.2	37.3	28.3	29.2	25.1	28.7	18.3	13.8	2.0	-20.7
	4. Floor	27.4	37.3	28.6	29.9	25.5	28.9	18.5	14.0	2.9	-19.9
	5. Floor	27.6	37.8	29.0	30.1	25.8	29.1	18.7	14.1	3.0	-19.7
R15	1. Floor	28.5	39.7	31.8	34.0	27.7	28.7	20.0	14.7	16.9	6.1
	2. Floor	29.3	40.0	32.0	34.0	29.6	29.6	20.3	15.0	17.1	6.4
	3. Floor	29.5	40.1	32.1	34.8	30.0	29.8	20.5	15.2	17.2	6.5
	4. Floor	30.1	40.2	32.2	35.4	30.5	30.5	20.8	15.4	17.3	6.6
	5. Floor	30.3	40.3	32.2	35.4	30.7	30.8	21.0	15.6	17.4	6.8
R15	1. Floor	28.1	39.4	31.2	33.7	27.8	28.8	18.4	12.9	14.5	3.2
	2. Floor	28.8	39.7	31.7	33.7	29.4	29.5	18.7	13.2	14.8	3.5
	3. Floor	29.1	39.9	31.8	34.5	29.8	29.8	18.9	13.3	14.9	3.6
	4. Floor	29.7	39.9	31.8	35.1	30.4	30.5	19.3	13.7	15.1	3.9
	5. Floor	30.1	40.0	31.9	35.1	30.6	31.1	19.4	13.8	15.4	4.4
R16	1. Floor	28.1	38.2	29.9	32.5	27.6	28.8	19.3	13.9	14.2	1.5
	2. Floor	28.6	38.7	30.4	32.6	28.9	29.3	19.6	14.0	14.3	1.6
	3. Floor	29.4	38.7	30.5	33.2	29.7	30.2	20.5	14.7	14.3	1.7
	4. Floor	30.7	38.8	30.6	33.8	30.3	31.7	21.8	16.1	14.7	2.1
	5. Floor	29.8	38.8	30.6	33.8	30.1	30.9	19.6	14.1	14.8	2.2
R16	1. Floor	28.5	38.0	29.7	32.6	28.4	29.5	18.8	13.2	12.8	-1.7
	2. Floor	29.0	38.4	30.1	32.6	29.6	30.0	19.2	13.5	12.9	-1.5
	3. Floor	29.6	38.5	30.2	33.2	30.2	30.7	20.1	14.1	13.0	-1.3
	4. Floor	30.0	38.5	30.2	33.5	30.2	31.3	19.1	13.5	13.2	-0.9
	5. Floor	30.0	38.6	30.3	33.7	30.7	31.4	18.3	12.6	13.4	-0.7
R17	1. Floor	27.9	36.4	28.4	32.4	27.5	29.1	17.9	12.4	11.6	-4.5
	2. Floor	28.1	36.5	28.3	32.0	28.3	29.4	18.0	12.4	11.4	-4.2
	3. Floor	28.9	36.5	28.5	32.7	28.7	30.2	18.6	12.6	11.8	-3.6
	4. Floor	30.4	36.5	28.4	33.0	30.0	32.1	18.8	12.9	12.1	-3.4
	5. Floor	30.5	36.6	28.5	33.1	30.8	32.1	18.9	13.1	12.2	-3.3
R17	1. Floor	27.3	36.1	28.4	32.7	27.6	28.5	16.3	10.5	8.9	-7.3
	2. Floor	27.6	36.2	28.2	32.1	28.4	28.8	16.4	10.6	8.8	-6.5
	3. Floor	28.7	36.2	28.2	32.7	28.9	30.2	17.3	10.8	9.0	-6.1
	4. Floor	30.2	36.2	28.1	33.0	30.4	31.9	17.6	11.1	9.4	-5.8
	5. Floor	30.3	36.3	28.2	33.3	31.0	32.1	17.6	11.2	9.6	-5.7
R18	1. Floor	24.4	32.6	24.3	29.3	24.8	25.9	12.8	6.3	-0.5	-16.8
	2. Floor	24.8	32.7	24.4	29.0	25.4	26.4	13.4	6.7	0.1	-14.7
	3. Floor	25.9	32.9	24.6	29.5	26.0	27.4	15.4	8.6	0.3	-14.4
	4. Floor	27.6	33.0	25.1	30.3	27.2	29.2	17.1	10.7	1.4	-14.0
	5. Floor	28.2	33.3	25.4	30.7	27.9	29.9	17.4	12.1	2.5	-13.8
R18	1. Floor	24.7	33.4	25.1	29.9	25.3	26.1	13.2	6.4	1.9	-15.8
	2. Floor	25.0	33.4	24.9	29.4	25.9	26.3	13.6	6.7	2.4	-14.0
	3. Floor	25.8	33.5	25.0	29.9	26.5	27.2	15.3	8.4	3.0	-13.4
	4. Floor	26.8	33.5	25.1	30.4	27.0	28.5	15.3	8.9	3.6	-13.1
	5. Floor	27.6	33.6	25.2	30.6	27.8	29.3	15.8	10.2	4.0	-13.0
R19	1. Floor	22.3	32.7	23.6	27.5	22.9	23.6	11.3	4.6	0.5	-19.4
	2. Floor	23.1	32.7	23.8	27.4	24.0	24.3	12.7	5.7	1.0	-18.3
	3. Floor	23.6	32.8	23.8	27.9	24.5	24.7	13.9	6.8	1.2	-17.8
	4. Floor	24.8	32.9	24.0	28.6	25.2	25.9	15.7	9.1	2.0	-17.3
	5. Floor	25.3	32.9	24.2	28.8	25.3	26.5	16.1	11.5	2.3	-17.3
R19	1. Floor	23.6	33.4	24.2	27.9	23.6	24.8	14.2	8.1	2.2	-18.3
	2. Floor	23.9	33.4	24.3	27.7	24.5	25.0	14.4	8.2	3.1	-17.3
	3. Floor	24.4	33.4	24.4	28.3	25.0	25.5	15.0	8.7	3.2	-17.0
	4. Floor	25.2	33.5	24.5	28.9	25.6	26.3	16.0	9.9	3.5	-16.7
	5. Floor	25.2	33.7	24.6	29.0	25.3	26.5	14.7	10.8	3.6	-16.7
R20	1. Floor	35.1	44.1	35.8	33.8	31.0	36.4	27.2	23.7	14.1	-8.5
	2. Floor	36.1	43.8	35.9	33.8	31.7	37.1	28.8	26.3	17.6	-3.3
R21	1. Floor	37.1	46.1	37.6	35.0	32.9	38.6	28.9	25.6	17.0	-3.6
	2. Floor	38.7	45.5	37.6	35.4	33.7	39.8	31.2	28.4	20.4	0.6
R22	1. Floor	33.1	44.6	35.8	32.5	30.1	34.7	24.9	19.7	8.9	-14.6
	2. Floor	35.1	44.1	35.8	33.5	31.6	36.7	26.9	22.3	13.5	-10.2
R23	1. Floor	23.6	38.7	28.8	26.2	23.2	24.9	14.8	9.2	-1.5	-32.6

2. Floor	27.4	41.4	32.1	28.5	25.9	28.8	19.2	13.6	3.3	-27.5
----------	------	------	------	------	------	------	------	------	-----	-------