

Energy from Waste Combined Heat and Power Facility, North Yard, Devonport

# Community Ambient Air Quality Monitoring Programme Report Quarter 4, 2015





# **Overview of Monitoring Programme**

MVV started ambient air quality monitoring in the vicinity of the EfW CHP Facility in August 2014. Two pollutants are measured in the on-going survey, Nitrogen Dioxide (NO<sub>2</sub>) and particulate matter (as PM<sub>10</sub>). Monitoring of NO<sub>2</sub> is carried out at ten locations in the area, while a PM<sub>10</sub> real time monitoring station has been installed in the vicinity of Camels Head junction and began monitoring in October 2014.

## Nitrogen Dioxide

Oxides of nitrogen (NO<sub>X</sub>) are formed at the high temperatures and pressures found within vehicle engines and other combustion processes. Some of the nitrogen in the air and the fuel, mainly in the form of nitric oxide (NO), is oxidised to form NO<sub>2</sub> in the atmosphere. NO<sub>2</sub> is associated with adverse effects on human health and it is this pollutant for which air quality standards have been set in the UK and elsewhere within the EU.

Diffusion tubes are used to measure levels of NO<sub>2</sub> within an area. These are small plastic tubes containing a chemical absorbent which reacts with NO<sub>2</sub> present in the air. The tubes are changed each month and then sent away to a laboratory for analysis. The results give a NO<sub>2</sub> level for each calendar month and these are used to derive an annual average which can be compared against the National Standards annual average air quality objective.

### **Particulate Matter**

Particulates, alternatively referred to as particulate matter (PM), are tiny solid particles or liquid droplets suspended in a gas. Sources of particulate matter can be man-made or natural. Concentrations of particulate matter within the air can be expressed in terms of their size, for example  $PM_{10}$  represents particles of 10  $\mu$ m diameter or less.  $PM_{10}$  occurs naturally, originating from volcanoes, dust storms, forest and grassland fires, living vegetation and sea spray. Human activities also generate  $PM_{10}$ , from sources such as road transport, power plants, agriculture, various industrial processes and local domestic heating.

A specialised air quality monitoring unit measures small particles of matter as they as drawn into the machine. The dust particles pass through a light, from a long life LED source, and as they do so generate a scattered light impulse. Measuring the deflection and intensity of this light impulse allows the size and number of particles to be detected. Measurement is continuous and a result is generated every five minutes. These results allow a daily average to be generated from which an annual average can be determined, both of these figures can then be compared to the National Standards.

## Locations

The NO<sub>2</sub> monitoring sites have been divided between the area around the Camels Head junction (which could potentially be affected by emissions from site-related road traffic) and other locations representative of the urban background in St Budeaux and King's Tamerton (which could be affected by emissions of NO<sub>2</sub> from the main chimney of the EfW CHP Facility). The PM<sub>10</sub> real time monitor is located in the vicinity of Camels Head junction.



# **National Standards**

The national air quality objective values, against which the monitoring results are compared, are shown in the Table below:

AIR QUALITY OBJECTIVES SET IN UK REGULATIONS								
Pollutant	Averaging	Objective Value	Maximum Permitted					
	Period	(µg/m³)	Exceedances					
Nitrogen dioxide(NO <sub>2</sub> )	Annual average	40	None					
	Hourly average	200	18 hours per year					
Particulate matter(PM <sub>10</sub> )	Annual average	40	None					
	Daily average	50	35 days per year					



## 2015 Quarter 4

This quarterly update presents the results of monitoring carried out during October, November and December 2015.

1. Operational or Other Activity

During this time, the EfW CHP facility was operational.

#### 2. NO<sub>2</sub> Diffusion Tubes

- Oct: 10 tubes deployed 02/10/2015, 10 recovered 11/11/2015, date of report 25/11/2015
- Nov: 10 tubes deployed 11/11/2015, 10 recovered 07/12/2015, date of report 16/12/2015
- Dec: 10 tubes deployed 07/12/2015, 10 recovered 06/01/2016, date of report 25/01/2016
- 3. PM<sub>10</sub> Monitor maintenance, service or down time

Monitor fully operational, except during service. No service or down time during this reporting period.




## 4. NO<sub>2</sub> Diffusion Tube Monitoring

Note: Results shown include an adjustment for laboratory blank but are provisional until bias adjustment has taken place.

Three Monthly Monitoring.

The results of the monitoring for the three-month period October to December 2015 are shown in the graph below.



#### Summary of Results

A summary of results to date are shown in the Table below where the rolling 12-month average can be directly compared with the Annual Air Quality mean objective. The mean concentrations of all results to date are seen to be within the air quality objective of  $40 \,\mu g/m^3$  at all the monitoring sites.



# **MVV** Environment

	NO <sub>2</sub> MONITORING														
Monthly NO <sub>2</sub> Concentration (µg/m <sup>3</sup> ) 2015															
Location	Description	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	2015 Average	Average to date
T1	Camels Head Junction	30.03	29.93	27.57	28.5	23.97	23.32	24.97	21.91	25.10	29.93	24.89	27.04	26.43	26.70
T2	Junction of Weston Mill Drive & Carlton Terrace	21.88	-	22.49	21.73	15.24	15.52	16.28	15.59	22.67	24.06	16.44	16.81	18.97	20.70
Т3	Weston Mill School	24.40	24.23	20.04	17.5	15.87	15.5	17.54	16.50	18.94	22.12	17.29	15.99	18.83	19.94
T4	Weston Mill School	24.38	24.44	22.37	20.86	16.85	14.74	17.03	15.35	19.71	23.11	18.12	15.35	19.36	20.19
T5	Erith Avenue	37.30	38.07	29.73	28.54	28.43	27.88	28.43	27.35	34.26	33.15	29.15	22.47	30.40	31.22
Т6	York Road	16.62	15.93	14.25	15.06	10.18	10.52	9.27	10.95	14.36	18.05	11.97	11.1	13.19	13.98
T7	Cardinal Avenue	16.97	20.09	17.52	15.63	9.74	11.11	10.77	10.24	13.51	19.44	12.87	10.9	14.07	15.36
т8	Ferrers Road, St Budeaux	16.28	17.28	15.46	16	9.16	10.44	8.89	11.07	14.81	17.15	12.14	13.33	13.50	14.36
Т9	Roman Way, adjacent to Plaistow Hill Infant and Nursery School	28.14	28.42	28.17	28.29	20.02	23.91	21.76	23.35	28.32	30.43	21.51	21.75	25.34	25.73
T10	Kelly Close, Barne Barton	12.27	15.6	-	14.23	7.98	9.64	10.19	10.09	12.61	18.05	8	9.17	11.62	12.32

Key Air quality standard not exceeded

Air quality standard exceeded


# Annual rolling averages

		01/07/2015	01/08/2015	01/09/2015	01/10/2015	01/11/2015	01/12/2015
T1	Camels Head Junction	27.71	27.49	26.97	26.54	26.10	26.43
T2	Junction of Weston Mill Drive & Carlton Terrace	21.22	21.16	20.84	21.03	19.95	18.97
Т3	Weston Mill School	20.38	20.31	20.14	20.05	19.37	18.83
T4	Weston Mill School	20.76	20.44	20.41	20.31	19.83	19.36
T5	Erith Avenue	32.26	32.01	32.15	31.96	31.21	30.40
Т6	York Road	13.78	13.93	14.04	14.37	13.62	13.19
Т7	Cardinal Avenue	15.72	15.61	15.45	15.57	14.65	14.07
Т8	Ferrers Road, St Budeaux	14.39	14.58	14.53	14.56	13.77	13.50
Т9	Roman Way, adjacent to Plaistow Hill Infant and Nursery School	25.54	26.02	25.93	26.31	25.43	25.34
T10	Kelly Close, Barne Barton	12.41	12.59	12.52	12.91	11.81	11.62




### 5. PM10 Monitoring

#### Hourly PM<sub>10</sub> Concentrations



#### 24-hour PM<sub>10</sub> Concentrations



#### Summary of Results

A summary of results to date are shown in the table below. The mean concentrations to date are seen, with one exception, to be within the AQS annual air quality mean objective of 40  $\mu$ g/m<sup>3</sup>.

The highest individual value was recorded in December, when the daily average for Sunday 27<sup>th</sup> December exceeded the AQS 24-hour average of 50  $\mu$ g/m<sup>3</sup>. This coincides with poor air quality across the whole of southern Britain, as verified by DEFRA: https://uk-air.defra.gov.uk/data/DAQI-regional-data



Once on their website, it is possible to select dates of interest to check local and national data. A description of the colours is given in their 'air pollution index'.

Actual chimney emission data for our Facility is published weekly on our website:

http://www.mvv-

environment.co.uk/en/swdwp devonport/links and downloads/links and downloads.jsp

Data capture for October, November and December 2015 was 100%.

	PM <sub>10</sub> MONITORING AT THE CAMELS HEAD JUNCT	ΓΙΟΝ				
	Results October - December 2015					
Minimum re	ecorded value	(µg/m <sup>3</sup> )	0.906			
Maximum r	ecorded value	(µg/m <sup>3</sup> )	121.5			
Average		(µg/m <sup>3</sup> )	15.527			
Standard de	eviation	(µg/m <sup>3</sup> )	11.322			
Data Captu	(%)	100				
Number of 24-hour periods with average above 50 (µg/m <sup>3</sup> )						
	Summary					
Rolling aver	rage (all months)	(µg/m³)	12.485			
Rolling ave	rage (last 12 months)	(µg/m³)	n/a			
	Average		15.23			
2014*	Number of 24-hour periods with average >50 (µg/m <sup>3</sup> )		0			
	Average		12.615			
2015	Number of 24-hour periods with average >50 ( $\mu$ g/m <sup>3</sup> )		1			
	Average					
2016	Number of 24-hour periods with average >50 (µg/m <sup>3</sup> )					
	Average					
2017	Number of 24-hour periods with average >50 (µg/m <sup>3</sup> )					

Key:

Air quality standard not exceeded

Air quality standard exceeded

\* 14<sup>th</sup> October - 31<sup>st</sup> December 2014 only